


Breaking the Mucus Barrier, Supporting Better Breathing



Aceark

Acetylcysteine 20%

**200
400**

5ml INJECTION

- Produces a mucolytic activity to lower the viscosity of mucous
- Facilitates removal of mucus by the muco-ciliary action & Expectoration
- Enhances the formation of intra & extra-cellular antioxidant-Glutathione

Respiratory Tract Disorder:

- ★ Chronic Emphysema
- ★ Chronic Asthmatic Bronchitis
- ★ Tuberculosis
- ★ Acute Bronchitis
- ★ Pneumonia

Liver Disorder:

Antidote for Paracetamol overdose-induces hepatitis
Alcoholic Liver Diseases

*Candidate has multiple physiological limitations
in major metabolic pathways...*

essential for development & growth

Arilase

Levocarnitine 1gm

INJECTION

Camitine prevents Hepato-toxicity

Treatment with Camitine significant increases
in camitine concentration

Camitine supplementation for all neonates
receiving TPN over 2 wee. Is recommended

Normalized the rnitochondrial energy production
improvement in myocardial functioning

Normalizes eleva. plasma ammonia concentration

Metabolic Protection for a

Better Future





Boosting Fertility, Restoring Hope

ARK-HCG


Chorionic Gonadotropin 5000 Units

Mechanism of Action

- › Binds to LH receptors in ovaries → induces ovulation and follicular maturation
- › Stimulates Leydig cells in testes → increases testosterone secretion
- › Supports reproductive function in both male and female patients

Target Segments

- › Female infertility (anovulation, assisted reproductive techniques)
- › Male hypogonadism and infertility
- › Endocrinologists, gynecologists, fertility specialists, urologists



Therapeutic Agent

Chorionic Gonadotropin (hCG): Mimics luteinizing hormone (LH) activity
Stimulates ovulation in women Promotes testosterone production in men
Widely used in infertility treatment protocols

ARK-HCG — Trusted Hormonal Support

Powerful Antibacterial Coverage,
Backed by β -Lactamase Inhibition

Arkprime-T

Cefepime Hydrochloride 250 mg + **281.25**
Tazobactam Sodium 31.25 mg



Why Cefepime + Tazobactam

A broad-spectrum b-lactam antibacterial combination intended for use in appropriate bacterial infections where coverage based on local susceptibility patterns and clinical judgment is warranted.

Key Points

Cefepime	Fourth-generation cephalosporin antibacterial agent.
Tazobactam	Beta-Lactamase inhibitor that can protect susceptible Beta-Lactam antibiotics from certain b-lactamases.
Combination	Provides antibacterial activity against susceptible organisms; selection should be guided by culture, susceptibility, infection site and local guidelines.

Clinical Considerations

Use only for infections caused by or strongly suspected to be caused by, susceptible bacteria.


Dose and duration should be individualized according to infection severity, site, patient factors, and renal function.

Obtain appropriate cultures when clinically indicated and review therapy when microbiology results become available.

Also Available

Arkprime-T

Cefepime Hydrochloride 1000mg + **1.125g**
Tazobactam Sodium 125mg



Strong Support
for Critical
Blood Pressure Control

Arkoline-2

Noradrenaline Bitartrate EQ. to Noradrenaline 2mg **INJECTION**

**WHEN PRESSURE DROPS,
CHOOSE A POWERFUL RESPONSE.**

A Potent Vasopressor for Critical Hypotension

- ♥ Noradrenaline is a potent vasopressor that acts primarily through α -adrenergic receptor stimulation, producing vasoconstriction and helping to increase vascular tone and blood pressure.

KEY CLINICAL ROLE

- ♥ Supports restoration of blood pressure in severe hypotension
Helps maintain adequate vascular tone
- ♥ Used in critical care and emergency settings when vasopressor support is required

**“PRECISION IN PRESSURE.
CONFIDENCE IN CRITICAL CARE.”**

Powerful Coverage
Enhanced
Protection



Arkzone-S 1500

Cefoperazone 1000mg +
Sulbactam 500gm

INJECTION

Cefoperazone:

- Broad spectrum cephalosporin.
- Achieves high penetration in most tissue.
- Effective against a wide range of aerobic & anarobic gram positive & gram negative bacteria

Sulbactam:

- Enhances the activity of cephalosporin against many resistant strains & bacteria.
- Highly effecacious in intra-abdominal infection (Surgeries) due to excellent coverage against

Bacterial Meningitis | Pre & Post Operative | Bone & Joint Infection
Respiratory Tract Infection | Skin & Soft Tissue Infection

Also Available

Arkzone-S 1500

Cefoperazone 500mg + Sulbactam 500 mg Injection

Also Available

Arkzone-T 1.125

Cefoparazone 1000 +Tazobaztum 125mg Injection



Rapid Action Reliable
Antimalarial Response

Arteark - 120/60
Artesunate Injection IP 120/60mg

- Effective in both *P. vivax* and *P. falciparum* Malaria “96%” efficacy.
- Therapeutically superior & safe in treatment of uncomplicated *P. falciparum*.
- Significantly superior to Chloroquine-Pyrimethamine combination
- Markedly reduces gametocyte carriage following treatment

Indication




Plasmodium Falciparum Malaria

Severe Malaria

Multidrug Resistant Malaria

Cerebral Malaria



When
severe
MRSA
Persist ...

Ancolase ^{500&}₁₀₀₀

Vancomycin Hydrochloride 500mg/1000mg Infusion

- Intrathecal administration of vancomycin is a very effective and safe treatment for MRSA (methicillin-resistant *Staphylococcus aureus*) meningitis.
- Vancomycin significantly reduces bacterial counts in comparison with linezolid as therapy for endocarditis caused by methicillin-resistant *Staphylococcus aureus*.
- Pre-operative single-dose i.v. vancomycin prophylaxis for permanent peritoneal dialysis catheter placement reduces the risk of postoperative peritonitis
- Vancomycin has been reported to be effective for the treatment of diphtheroids endocarditis. Vancomycin has been used successfully in combination with either rifampicin, an aminoglycoside, or both in early-onset prosthetic valve endocarditis caused by *S. epidermidis* and diphtheroids.

Pre-Operative Antimicrobial Prophylaxis

Endocarditis

Lower Respiratory Tract Infections

Septicemia

Skin & Skin-Structure Infections

Bone Infections

Pseudomembranous Colitis/*Staphylococcal* Enterocolitis

Ancolase
Show MRSA ...way to exit ...

**Solves the
Problems of
Postoperative Pain with**

Avmol-IV

Paracetamol 150mg/ml

INJECTION

- ✓ Superior in terms of early recovery than tramadol.
- ✓ Alternative to ketorolac after mild to moderate painful surgery in situations where the use of NSAIDs is unsuitable
- ✓ No Interference with platelet & kidney functions & devoid of unwanted side effects unlike NSAIDs 'Reduces the duration of hospitalization'

Indication:

Fever

Body Ache

Headache

Analgesic & Antipyretic

Also Available

Avmol-IV

Paracetamol Infusion IP 1% w/v 1000mg/100ml

Reliable Action

Against Challenging Infections

Avzid-1000

Ceftazidime 1000mg

Injection

- Exhibits broad-spectrum activity (esp. *Pseudomonas* sp.) safe in patients with hepatic dysfunction.
- Highly stable to most clinically important Beta-Lactamase plasmid or chromosomal, which are produced by both gram -ve & gram +ve organisms and consequently, is active against many strains resistant to ampicillin & other cephalosporins.

Effective

- Gynecologic Infection
- Intra abdominal Infections
- Bacterial Septicemia
- Meningitis
- Lower Respiratory Tract Infections
- Skin & Soft Infections
- Urinary Tract Infections
- Bone and Joint Infections

Aim to Hit Out **INFECTION**.....

Also Available

Avzid-250


Ceftazidime 250MG INJECTION

Avzid-T 1.125

Ceftazidime 1000 MG +Tazobactam 125 MG INJECTION



Effective
Antibacterial Therapy
When It Matters



Azilase-500

Azithromycin 500mg **INJECTION**

- Reaches the sites of infection rapidly
- Achieves high tissue conc. for longer periods of time
- Effective against wide range of pathogens
- Active against both gram positive and gram negative bacteria
- Effective in treating genital infections

SUPERIOR TO ERYTHROMYCIN & CLARITHROMYCIN
EXCELLENT CHOICE IN RTI

Indication

Upper & Lower respiratory

Skin & soft tissue infections

Skin and soft tissue infections

Urogenital Infections

UTI and RTI tract infections

Urogenital infections

Powering
Vitamin D₃ Supporting
Stronger Health



Calciark-D3

Cholecalciferol Injection BP 600000 IU/2 ML

- ☀ The Vital Vitamin-D form, helps in bone mineralisation
- ☀ Reduces homocysteine level an important factor responsible for Osteoporosis in Men & Women.
- ☀ Decline free radicals which are involved in osteoblastogenesis, osteocytes and also in osteoclastogenesis.

Indication:

Snile Osteoporosis

Osteoporosis

Bone Fracture

Osteopenia

Complete Wellness of Bones

When Brain
Need A deeper
Healing.....



Cerelark

Cerebroprotein Hydrolysate 60 mg Injection

- Acts on the central nervous system in various ways to protect neurons and improve memory, attention and vigilance.
- Improves acetylcholine function and modulate the glutamic acid (Glu)/ amino acid butyric acid (GABA) learning and memory.
- Significantly Improves the scores adenbrook's connitive examination revised (ACER) and mini mental status examination (MMSE)

Indication:

Alzhemier's Disease

Acute Ischemic Stroke

Vascular Dementia

Traumatic Brain Injury

Safe and Effective
Brain Rejuvenator...

Nourish
the Brain Support
Cognitive Function



Citiark-500

Citicoline 500mg/2ML INJECTION

CITICOLINE:

- **Neuroprotective Properties** : Increase the level of dopamine and norepinephrine in the central nervous system, which contributes to neuroprotection in hypoxia
- Inhibits the progression of cognitive function impairment

ISCHEMIC STROKE | HEMORRHAGIC STROKE
MEMORY IMPAIRMENT | DEMENTIA | ALZHEIMER'S DISEASE
BRAIN TRAUMA | SPINAL CORD INJURY
PARKINSON'S DISEASE

Also Available

Citiark-1000
Citicoline 250mg/4ML INJECTION

**Beyond Antibacterial
Action — A Smarter
Macrolide Choice**

Clarark

Clarithromycin Infusion BP 500mg INFUSION

- Clarithromycin is a 2nd line treatment for other atypical microbiology Diseases and leprosy.
- It is a 1st line drug in the combination regimen for Mac Infections in AIDS patients.
- Clarithromycin is a Macrolide Antibiotic with broad spectrum of activity. It stops the bacteria from growing and prevents the infection from spreading.


Indications:

**Tonsillitis and Pharyngitis
Biliary tract Infection
Acute and Chronic Bronchitis
Septic Absorption**

**A specialized Approach
In Microbial Infections.....**



*Targeted Action.
Reliable Antibacterial
Support.*



Clinark-300

Clindamycin Injection IP 2 ml

INJECTION

CLINDAMYCIN

- ◆ A Lincosamide Antibiotic for the Management of Susceptible Bacterial Infections
- ◆ Effective against susceptible Gram-positive bacteria & anaerobic pathogens
- ◆ Excellent tissue penetration
- ◆ Useful in infections involving skin & soft tissues, bones & joints, and anaerobic infections
- ◆ Convenient 300 mg strength for appropriate adult therapy

Focused Antibacterial Action

Proven Lincosamide Therapy

Reliable Choice


Also Available

Clinark-300

Clindamycin Injection IP 2 ml

INJECTION

When Resistance Rises,
Colistin Delivers



Colizor-1MIU

Colistimethate Sodium Injection IP 1 Million IU

- Significant activity against Gram-Negative Bacteria & *P.aeruginosa*¹
- Show bacteriological and clinical response in 83.3% of patients with Ventilator-associated pneumonia¹
- Low resistance rates²
- Useful option & easier to use than nebulized tobramycin for treatment of chronic *P. aeruginosa* infection in patients with Cf³

1.Curr Opin Infect Dis.2009 Dec; 22(6):535-543. 2.Int J Antimicrob Agents.2005 Jan; 25(1):11-25. 3. Drugs.2014 March; 74(3):377-87.

INTRAVENOUS ADMINISTRATION

Lower Respiratory Tract Infections • Urinary Tract Infections
Sepsis • Fixation Device Related Orthopaedic Infections
Multi-resistant CNS Infections • Catheter Related Infection

TREATMENT OF INHALATION

Lungs infection in cystic fibrosis due to *Pseudomonas aeruginosa*

Colizor-2MIU

Colistimethate Sodium Injection IP 2 Million IU

When Allergy Turns Severe,
Timely Steroid
Support Matters



Cortiark

Hydrocortisone Sodium Succinate Injection IP 100mg

- Shorter half life as compared to other corticosteroids
- Preferred therapy as premedication to prevent adverse reactions
- Drug of choice in emergency for steroid dependent patients with adrenal insufficiency

INDICATION:

Skin Infections

Anaphylaxis

Endocrine Disorder

Rheumatic Disorder

Gastrointestinal Diseases

Immuno Suppressive

Trauma & Emergency Condition

Nervous System Disorder

Respiratory & Tuberculosis Disease

Cortiark..... Safe bed during Emergencies

**Target
the Spasm,
Tackle
the Pain**



Cyclom-Spas

Dicyclomine Hydrochloride 10mg +Diclofenac 25mg Injection

DICYCLOMINE:

Dicyclomine is an anticholinergic drug commonly used to treat irritable bowel syndrome (IBS) and other gastrointestinal conditions. It work by relaxing the muscles in the gastrointestinal tract, helping to relieves cramps and discomfort.

DICLOFENAC:

Diclofenac is a nonsteroidal anti-in ammatory drug (NSAID) used to relieves pain in ammentation and It's often used for conditions like arthritis, muscle pain or acute injuries .

Indication:

Gastro-Intestinal Distress


Intestinal Colic

Painful Mensteuation

Mascular Spasm

Safe and Effective Brain Rejuvenator...

Enhance
Cardiac Contractility.
Support Cardiac Output



Doblase

Dobutamine Hydrochloride 50mg Injection IP

- Acute cardiac decompensation with depressed contractility
- Low cardiac output states requiring short-term inotropic support
- Cardiac dysfunction following cardiac surgery

Hemodynamic Titration

Start Low • Titrate to Response • Monitor Continuously

Typical infusion range: 2–20 mcg/kg/min

Dose should be individualized according to heart rate, blood pressure, urine output and cardiac output, where available.

Indications:

- Short-term inotropic support in cardiac decompensation
 - Depressed myocardial contractility
 - Cardiac decompensation due to organic heart disease
- Cardiac dysfunction/decompensation following cardiac surgery
 - Improvement of cardiac performance when parenteral inotropic support is required

**When Cardiac Performance Matters,
Choose Powerful Inotropic Support**

***Powerful Antibacterial
Action with
Antioxidant Support***



Doxiark-100

Doxycycline 100mg + Vitamin C 600mg

INJECTION

DOXYCYCLINE+VITAMIN C

- ◆ Broad-spectrum antibacterial activity.
- ◆ Effective against susceptible Gram-positive bacteria & anaerobic pathogens
- ◆ Excellent tissue penetration
- ◆ Antioxidant nutritional support

Susceptible Bacterial Respiratory Tract Infections

Rickettsial Infections

Chlamydial Infections

Selected Sexually Transmitted Bacterial Infections

Certain Specific Bacterial Infections

Adjunctive Therapy In Severe Acne, Where Clinically Indicated

**Fight the Infection
Support the Body.....**

**POWERFUL
ACID CONTROL RELIABLE
GASTRIC PROTECTION**



Esoark-40

Esomeprazole Sodium 40mg Injection

- Potent & Sustained Gastric Acid Suppression
- IV administration when oral therapy is not feasible
- Effective suppression of gastric acid secretion
- Useful in selected acute-care and hospitalized patients

Indications:

- Gastroesophageal Reflux Disease (GERD)
- Healing and maintenance of erosive esophagitis
- Reduction of gastric acid secretion in appropriate hospitalized patients
- Prevention of rebleeding after therapeutic endoscopy in bleeding gastric/duodenal ulcers

Control Acid. Protect the Upper GI Tract.....

Prevent Clots.
Protect Patients.



Enoxoark-40

Enoxaparin Sodium 40mg

Pre-Filled
Syringes

Raising Standard in **VTE** Prevention

- is an anticoagulant widely used in the treatment & prophylaxis of deep vein thrombosis (DVT)
- Has the advantage of safety & ease of use as an anti-coagulant during hospitalization period
- Feasible, safe, effective in premature & term neonates
- Reduces LEU recruitment to injured brain, diminishing visible micro vascular permeability & edema

Indicates In:

- Unstable Angina
- Pulmonary Embolism
- Prophylaxis in VTE
- DVT
- Haemodialysis

Also Available:

Enoxoark-60
Enoxaparin Sodium 60mg inj Pre Filled Syringe

Enoxoark-40
Safe & Predictable Therapy.....


Fast Iron Correction, Fewer Infusions

Feriark-CB

Ferric Carboxymaltose Injection 500 mg/10 ml Vial

Mechanism of Action

- Provides bioavailable iron directly into circulation
- Restores hemoglobin and replenishes iron stores efficiently
- Controlled release → reduced risk of free iron toxicity



Target Segments

- Iron deficiency anemia (IDA)
- Chronic kidney disease patients
- Post-partum anemia, heavy menstrual blood loss
- Hematologists, nephrologists, gynecologists, internists

Therapeutic Agent


Ferric Carboxymaltose: Stable iron complex for IV administration. Rapid correction of iron deficiency and anemia. High dose per infusion → fewer sessions required.

Also Available :

Feriark-CB 1000

Ferric Carboxymaltose Injection 1000 mg

→ high-dose option for rapid replenishment in severe iron deficiency



Feriark-CB

Trusted IV Iron Therapy

Powerful Corticosteroid Support for **Inflammatory** **Conditions**



Figopred-S 40_{1ml}

Methylprednisolone Sodium Succinate 40mg Injection

- Superior anti-inflammatory potency
- Helps switch off immuno-damaging processes for long term efficacy
- Suppresses recruitment of leukocytes at the site of contact with antigen
- Offers significant improvement in air flow parameters
Potentiates action of bronchodilators

Indications:

Severe allergic reactions / Allergic Disorders
Bronchial asthma & respiratory inflammatory conditions
Rheumatoid arthritis inflammatory joint disorders
Skin disorders & severe dermatitis
Autoimmune & inflammatory conditions
Soft-tissue inflammatory disorders

Also Available:

Figopred-S 80

Methylprednisolone Sodium Succinate 40mg Injection

Figopred-S 125

Methylprednisolone 125 mg Sodium Succinate For Injection

Figopred-S 500

Methylprednisolone 500mg Sodium Succinate For Injection

Figopred-S 1000

Methylprednisolone 1000mg Sodium Succinate For Injection

When In ammation Needs Control — Choose **Figopred**

**“Powerful Anti-
Inflammatory Action.
Targeted Relief.”**



Figopred-40 *1ml*

Methylprednisolone Acelate 40mg Injection

- Potent anti-inflammatory activity
- Helps control inflammatory & allergic responses
- Useful in acute exacerbations of selected rheumatic conditions
- Provides a therapeutic option when systemic corticosteroid therapy is indicated
- 40 mg/mL strength for appropriate injectable use

Indications:

Severe asthma | Atopic & contact dermatitis
Drug hypersensitivity reactions | Serum sickness
Transfusion reactions | Rheumatic & Inflammatory Disorders
Rheumatoid arthritis | Psoriatic arthritis
Acute gouty arthritis | Ankylosing spondylitis
Dermatomyositis | Polymyositis
Systemic lupus erythematosus

INFLAMMATION • ALLERGY • RHEUMATIC DISORDERS

Also Available:

Figopred-80

Methylprednisolone Acelate 40mg Injection

“Control Inflammation. Restore Clinical Confidence.”

When Infection
Calls for Reliable
Antibiotic Action



Furoark-1500

Cefuroxime 1500mg Injection

Broad-Spectrum Antibacterial Agent

- Favourable pharmacokinetic profile permits convenient twice-daily administration
- Effective and well-tolerated treatment for patients with various bacterial infections
- Reliable antibacterial action with convenient oral dosing

Indications:

- Pharyngitis / Tonsillitis
- Acute Bacterial Otitis Media
- Uncomplicated Gonorrhoea
- Acute Bacterial Maxillary Sinusitis
- Uncomplicated Urinary Tract Infections
- Acute Bacterial Exacerbations of Chronic Bronchitis
- Uncomplicated Skin & Skin-Structure Infections

Also Available:


Furoark-750

Cefuroxime 750mg Injection

Furoark-250

Cefuroxime 250mg Injection

Effective **Ammonia**
Management for
Better **Liver Support**



Heptark-L

L-Ornithine L-Aspartate 10ml

INJECTION

- **L-Ornithine-L-Aspartate** is useful in the treatment of high ammonia levels or when a patient's liver function is extremely poor.
- **L-Ornithine-L-Aspartate** is very effective for end-stage cirrhotic patients.

Indications:

Acute and Chronic Hepatitis
Alcoholic Liver Disease
Post Hepatitis Convalescence
Cirrhosis
Along with Hepatotoxic Drugs

Better Ammonia Control
Better Hepatic Support.....

Rapid Seizure
Control. Reliable
Anticonvulsant Action

Levedom

Levetiracetam Concentrate 100mg Injection

- Shows anticonvulsant and anti-epileptogenesis effects
- Effective for treatment of **partial and generalized seizures** (tonic-clonic, absence, myoclonic)
- Efficacious in newly diagnosed patients of naive epilepsy or with chronic difficult-to-control epilepsy who were followed for 1 year
- Well tolerated with a favorable pharmacokinetic profile

Indications:

ADJUNCTIVE THERAPY IN THE TREATMENT OF:

Partial Onset Seizures with Epilepsy

Myoclonic Seizures with Juvenile Myoclonic Epilepsy

Primary Generalized Tonic-Clonic Seizures with

Idiopathic Generalized Epilepsy

Control Seizures.
Support Better Neurological Outcomes.....

Rapid & Reliable Blood Pressure Control

Loblase

Labetatol Hydrochloride IP 5 mg Injection

- α & β -Adrenergic Blocker
- Rapid Onset Of Action
- Helps Maintain Cardiac Output
- Maintains Peripheral, Cerebral, Renal & Coronary Blood Flow
- Useful in the Management of Acute Hypertension, as Clinically Indicated

FAST ONSET • EFFECTIVE CONTROL • RELIABLE ACTION

***“Rapid Action When
Blood Pressure Demands Control.”***

Targeted Nerve Support for Better Neurological Health



Mecoark-1500

Methylcobalamin 1500mcg

**PRE FILLED
SYRINGE**

End Stinging Neuropathic Walk in Life

- Promotes myelin formation (fatty acid covering), thus protects nerve cells
- Promotes regeneration & conduction through nerve cells
- Relieves stinging, burning sensation in diabetic neuropathy
- Vital for proper functioning of nervous system

Indications:

Peripheral Neuropathy

Bell's Palsy

Diabetic Neuropathy

Sciatica

Trigeminal Neuralgia

Also Available:

Mecoark-2500

Methylcobalamin 2500mcg

PRE FILLED SYRINGE

"No More

Neuropathic Suffering"

**“When Resistant
INFECTIONS DEMAND
a Stronger Approach.”**

Meroark-S 1.5

Meropenem-1000mg + Sulbactam 500mg Injection



When Other Antibiotics Fail.....

- **FDC of Meropenem 1g and Sulbactam 0.5 g Injection** has excellent efficacy & good tolerability in the management of **lower respiratory tract infections caused by Gram-negative pathogens.**
- **Meropenem in conjunction with Sulbactam** exhibits more potent antimicrobial activity against **multidrug-resistant Acinetobacter baumannii** strain than meropenem or sulbactam alone.
- The use of **ESBL inhibitors like Sulbactam combined with carbapenem antibiotics** allows the inactivation of ESBLs produced by Gram-negative pathogens.

Indications:

Pneumonia
Meningitis
Gynaecological Infections
Skin & Soft Structure Infections
Septicaemia
Adult Febrile Neutropenia

Also Available:

Meroark-125
Meropenem-125mg INJECTION

Meroark-500
Meropenem-500mg INJECTION

Meroark-1000
Meropenem-1000mg INJECTION

Powerful Corticosteroid Support for **Inflammatory Conditions**



Polison-B

Polymyxin-B 500000 units Injection

- **Potent Bactericidal Activity** against susceptible Gram-negative organisms
- Particularly active against ***Pseudomonas aeruginosa*** and other susceptible Gram-negative pathogens
- Acts by **disrupting the bacterial cell membrane** leading to rapid bacterial cell death
- Useful in the management of **serious infections caused by susceptible organisms**
- A valuable therapeutic option when resistance limits the use of conventional antibiotics

MECHANISM OF ACTION

Binds to bacterial membrane → Disrupts membrane integrity →
Causes cellular leakage → Bacterial cell death

CLINICAL VALUE

When Difficult Gram-negative infections demand a potent antimicrobial option — Polymyxin B stands strong.

“Target the Membrane. Challenge the Resistance.”

Polymyxin B 500,000 Units Injection USP

For use under the supervision of a qualified healthcare professional.

**DUAL ACTION.
BROAD COVERAGE.
ENHANCED PROTECTION.**



Pipark-T 1.125

Piperacillin 1000MG + Tazobactam 125 mg Injection

A POWERFUL β -LACTAM + β -LACTAMASE INHIBITOR

Piperacillin — Extended-spectrum ureidopenicillin

Tazobactam — β -lactamase inhibitor

- Provides activity against a broad range of susceptible **Gram-positive and Gram-negative bacteria** including many clinically important organisms.
- Tazobactam inhibits many susceptible **Beta-lactamases**, thereby protecting Piperacillin from enzymatic hydrolysis and extending its antibacterial activity.
- Piperacillin binds to **Penicillin-Binding Proteins (PBPs)** and interferes with bacterial cell-wall synthesis, resulting in bacterial cell death.
- **Piperacillin + Tazobactam** combines direct antibacterial activity with Beta-lactamase inhibition to provide enhanced coverage against susceptible Beta-lactamase-producing organisms.

Indications:

- Pharyngitis / Tonsillitis
- Acute Bacterial Otitis Media
- Uncomplicated Gonorrhoea
- Acute Bacterial Maxillary Sinusitis
- Uncomplicated Urinary Tract Infections
- Acute Bacterial Exacerbations of Chronic Bronchitis
- Uncomplicated Skin & Skin-Structure Infections

Breaking the Cycle of Pain & Inflammation



Piroxiem-20

Piroxicam 20 mg Injection

- Effective in treating high fever, acute painful conditions & severe inflammatory conditions.
- Inhibits Cyclooxygenase (COX) & exerts anti-inflammatory activity.
- Instant onset of action ensures fast relief from the symptoms.

Indications:

Rheumatoid Arthritis

Osteoarthritis

Primary Dysmenorrhoea

Primary Dysmenorrhoea

Post-operative Pain

**WHEN SEVERE PAIN NEEDS MORE
THAN RELIEF CHOOSE Piroxiem-20**

Rising **Acidity**
Raises **Problems...**



Rantidark

Rantidine 50mg

INJECTION

AN ANTACID, ANTIREFLUX & ANTIULCERANT AGENT


- An **H₂-histamine Receptor antagonist** that works by blocking histamine, thereby decreasing the amount of acid released by the cells of the stomach.
- Approximately **50% is absorbed after Injection administration**, compared to intravenous administration.
- **Injection is Bioequivalent to tablets.**
- **Rapidly absorbed**, with peak concentrations reached within **1–3 hours** after administration.

Indications:

Gastric & Duodenal Ulcers
Gastroesophageal Reflux Disease (GERD)
Erosive Esophagitis
Zollinger–Ellison Syndrome
Hypersecretory Conditions
Dyspepsia
Uncomplicated Skin & Skin-Structure Infections

“Cure the Acid — Right from the Start.”

"When **Serious Infections** Demand
a Powerful
Glycopeptide."



Tecoark-400

Teicoplanin-400 mg (Tray Pack) **INJECTION**

- Strongly active against most of the **Gram-positive staphylococci, streptococci & pneumococci**, including anaerobic cocci & Gram-negative rods.
- Ensures **faster & complete absorption**
- Successful in the treatment of **Streptococcal pharyngitis, Gram-positive coccal otitis media, Pneumonia & pyoderma** in both adults & children.
- Suitable substitute in **Gram-positive coccal** infections where penicillin is contraindicated.

Indications:

Skin & Soft Tissue Infections

Urinary Tract Infections

Septicaemia

Lower Respiratory Tract Infections

Also Available:


Tecoark-200

Teicoplanin-200 mg (Tray Pack)

PRE FILLED SYRINGE

Tough Reply to Tough Infections...

Broad-Spectrum
Bacterial Coverage
is required



TG-ARK

Tigecycline 50mg Injection

- Potent antibiotic with relative safety
- Extended spectrum of coverage
- Highly effective against *S. aureus*, *A. baumannii* and MDR Enterobacteriaceae
- No reports of renal failure
- Tigecycline's efficacy with improved efficacy

Indications:

Complicated Skin and
Skin Structure Infections

Complicated Intra-
abdominal Infections

Community-Acquired Pneumonia

TG-ARK— Distinctive Antibiotic with
Broad-Spectrum Coverage.....

Providing Relief from
Painful Muscle
Contractions
& Spasms



Thioin

Tigecycline 50mg Injection

- A well-known competitive GABAA receptor antagonist, is a non-sedating muscle relaxant with anti-inflammatory and analgesic effects.
- Centrally acting muscle relaxant; frequently prescribed for low back pain (LBP), Orthopedic, Traumatic & Rheumatologic disorders.
- Twice daily administration of 4 mg Thiocolchicoside for 5 days provides an efficient and safe treatment for patients with acute low back pain accompanied by muscle spasm.
- Less sedative than other centrally acting muscle relaxants.

Joint Bone Spine. 2003 Sep;70(5):356-61.

Indications:

AS AN ADJUVANT TREATMENT IN PAINFUL SPASM ASSOCIATED WITH:
Degenerative Vertebral Disorders and Vertebral Static Problems,
Torticollis, Dorsal Pain, Low Back Pain,
Traumatological and Neurological Disorders

Relax, Recover, Restore – FAST MUSCLE RELIEF

"Nourish from Within.
Glow with Confidence."

Thioark

Glutathione 600mg Injection & Vitamin C Injection IP

Glutathione:

- Helps control inflammation by inhibiting the production of most inflammatory cytokines.
- Helps control inflammation by inhibiting the production of most inflammatory cytokines.
- Glutathione is the Best Anti-Aging Support
- Helps Prevent Depression and Stress

Vitamin C:

- Immunity Booster
- Helps Heal Wounds and Form Scar Tissue
- Helps the Body Cope with Stress and Strain

Indications:

Immune Functioning
Oxidative Stress
Hyperpigmentation
Pollution


MAKE YOUR LOOK FAIRER...

Also Available:

THIOARK - 1200
Glutathione 1200mg Injection



“Precision in
Local Anaesthesia.
Confidence in
Every Procedure.”



LINGNOLASE-2%

LIGNOCAINE 2% INJECTION

Lignocaine 2% Injection

- A reliable local anaesthetic designed to provide **effective, rapid and reversible loss of sensation** at the site of administration.

KEY BENEFITS:

- Rapid Onset of Local Anaesthesia
- Effective & Reliable Nerve Block
- Reversible Local Loss of Sensation
- Suitable for a variety of local anaesthetic procedures
- Helps facilitate comfortable minor surgical & diagnostic procedures

Indications:

Local Infiltration

Nerve Block


Regional Anaesthesia

Minor Surgical Procedures

Rapid Action | Reliable Anaesthesia | Procedural Comfort

LINGNOLASE-2%— Effective Anaesthesia.
Better Procedural Confidence.

Advanced Defense for Critical Infections



Avzid-AV

Ceftazidime 2000mg + Avibactam 500mg
INJECTION

- Effective against complicated bacterial infections.
- Helps treat multidrug-resistant (MDR) infections.
- Provides broad-spectrum antibacterial coverage.
- Useful in severe hospital-acquired infections.
- Supports rapid infection control in critical patients.

Indications:

MDR Infections
Bloodstream Infections
ICU-Critical Infections
CUTI
Gram-negative Infections

Tough Reply to Tough Infections...

“Breaks down
the **HARDEST**
CLOTS”

Arkparin-25K

Heparin sodium 25000IU

INJECTION

- Effective at preventing deep vein thromboses and pulmonary emboli in patients at risk.
- Provides more potent efficacy and equal safety when compared to OD LMWH for the prophylaxis of venous thromboembolism (VTE).
- Is a glycosaminoglycan with anticoagulant properties and anti-inflammatory effects.

J Thorac Dis. 2015 Jul;7(7):1158-64.

J Thromb Thrombolysis. 2015 Sep 16.

Indications:

- Cardiopulmonary Bypass For Heart Surgery
 - Acute Coronary Syndrome
- Atrial Fibrillation ■ Deep-vein Thrombosis
 - Pulmonary ■ Embolism
- Cryonics ■ ECMO ■ Hemofiltration
- Indwelling Central Or Peripheral Venous Catheters

“Reliable Anticoagulation. Trusted Protection.”



Renal-Specific Nutrition for Better Outcomes

Aminoark-Nephro

Amino Acid Infusion 7% with Malic Acid, 250 ml

Mechanism of Action


- › Supplies amino acids directly into circulation → improves nitrogen balance
- › Malic acid aids in energy production and reduces metabolic stress
- › Corrects nutritional deficiencies in renal insufficiency patients

Therapeutic Agent

Crystalline Amino Acids: Provide essential substrates for protein synthesis

Malic Acid: Supports energy metabolism and correction of metabolic acidosis in renal insufficiency

Tailored formulation for patients with impaired renal function



Target Segments

- › Renal insufficiency and chronic kidney disease patients
- › Dialysis patients requiring parenteral nutrition support
- › Specialists: Nephrologists, intensivists, critical care physicians

Also Available :

Aminoark

Nutritive Infusion of Pure Crystalline Amino Acid

Aminoark

Nutritive Infusion 5.459% w/w, 100 ml

Aminoark-Plus

Nutritive Infusion of Pure Crystalline Amino Acid, 200 ml

Aminoark-SN

Pure Crystalline Amino Acid IV Infusion with Xylitol

Aminoark-Nephro Tailored Support for Kidney Care



WHEN
SITUATION
BECOMES
CRITICAL

PIPARK-4.5

Piperacillin 4g + Tazobactam 500mg

Injections

PIPERACILLIN + TAZOBACTAM

- Treatment of moderate to severe community or hospital-acquired infections involving mixed bacteria such as staphylococci, streptococci, anaerobic bacteria including Bacteroides
- Recommended therapy in intensive care medicine (pneumonia, peritonitis), some diabetes-related foot infections
- Safe and highly efficacious in the treatment of serious pneumonia in hospitalized patients
- Effective in Postpartum endometritis or pelvic inflammatory disease caused by Piperacillin-resistant, β lactamase producing strains of Escherichia coli

Also Available

PIPARK-1.125

Piperacillin 1gm + Tazobactam 125mg

Injections

SEPTICEMIA

PELVIC INFLAMMATORY DISEASE

RESPIRATORY TRACT INFECTIONS

FEBRILE NEUTROPENIA


INTRA ABDOMINAL INFECTIONS

UNCOMPLICATED AND COMPLICATED
SKIN AND SKIN STRUCTURE INFECTIONS

An Empirical Therapy in Serious Infections



Triple Power for Strong Immunity



Tancee

Vitamin C + Vitamin D3 + Zinc Tablets

Mechanism of Action

- » Boosts innate and adaptive immunity
- » Neutralizes free radicals → protects against oxidative stress
- » Supports bone strength and overall metabolic health

Therapeutic Agent

Vitamin C: Potent antioxidant → strengthens immune defense, supports collagen synthesis

Vitamin D3: Enhances calcium absorption, supports bone health, modulates immunity

Zinc: Essential trace mineral → aids immune cell function, wound healing, and growth

Target Segments

- » Patients with recurrent infections or weak immunity
- » Individuals with nutritional deficiencies
- » General wellness and preventive care
- » Physicians, pediatricians, general practitioners

Also available :


Tancee-500

Vitamin C 500mg Tablets

Tancee
Vitamin C, D3 & Zinc in One



"Advanced
Protection Against
Serious Gram-Positive
Infections."



Avzolid-I.V.

Linezolid 2 mg/ml Solution **Infusion**

Antibiotic Therapy For Pathogens

Nosocomial Pneumonia

- Pneumonia caused by susceptible *Staphylococcus aureus* and *Streptococcus pneumoniae*.

Community-Acquired Pneumonia

- Including pneumonia caused by *S. pneumoniae*, including cases with concurrent bacteremia, and susceptible *S. aureus*.

Complicated Skin & Skin Structure Infections

- Including diabetic foot infections without concomitant osteomyelitis, caused by susceptible Gram-positive organisms.

Uncomplicated Skin & Skin Structure Infections


- Caused by susceptible *S. aureus* or *Streptococcus pyogenes*.

Vancomycin-Resistant *Enterococcus faecium* (VRE) Infections

- Including infections with concurrent bacteremia.

- **SERIOUS INFECTION**
- **GRAM-POSITIVE COVERAGE**
- **RESISTANCE CHALLENGE**

"Strength Against Resistance.
Confidence in Every Dose."



*Avert the
Increased
Osmotic Pressure*



Neurolase-G

Mannitol 10% w/v & Glycerin 10% w/v IV infusion

MANNITOL & GLYCERIN

- 🧠 Mannitol with glycerin injection is a osmotic diuretic agent & weak renal vasodilator
- 🧠 It is reduced form of fructose and is produced by a variety of micro organisms
- 🧠 It exceeds the reabsorption capacity of the tubule & the excess appears in the urine accompanied by an increased volume of water.
- 🧠 Effective in reversing acute brain swelling

Indications

- 🧠 Cerebral Oedema
- 🧠 Acute Renal Failure
- 🧠 High Intraocular Pressure
- 🧠 High Intracranial Pressure
- 🧠 Urinary Excretion of Toxic Materials

In critical situations...

*Powerful defense
against infection*



Levolase-IV


Levofloxacin Infusion IP 05% w/v

Levofloxacin

- » Broad spectrum antibiotic
- » Active against both gram positive and gram negative organisms
- » FDA approved for the treatment of nosocomial infection
- » Achieves superior cure rates compared to cefuroxime axetil
In chronic bronchitis

Indications :

- » Acute Sinusitis
- » Skin & Soft Infections
- » Urinary Tract Infections
- » Community Acquired
Pneumonia



Ensure victory on viral infections everytime